

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Be: Beaches-----	100	Not rated		Not rated		Not rated	
BlA: Beltsville-----	95	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BlB2: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BlB3: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BlC2: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
BlC3: Beltsville-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
Bm: Bibb-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrB2: Bourne-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BrC3: Bourne-----	100	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
CaB2: Caroline-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
CaC2: Caroline-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope Shrink-swell	1.00 0.50
CaC3: Caroline-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope Shrink-swell	1.00 0.50
CaD2: Caroline-----	100	Somewhat limited Slope Shrink-swell	0.84 0.50	Somewhat limited Slope Shrink-swell	0.84 0.50	Very limited Slope Shrink-swell	1.00 0.50
CaD3: Caroline-----	100	Somewhat limited Slope Shrink-swell	0.84 0.50	Somewhat limited Slope Shrink-swell	0.84 0.50	Very limited Slope Shrink-swell	1.00 0.50
ChA: Chillum-----	100	Not limited		Not limited		Not limited	
ChB2: Chillum-----	100	Not limited		Not limited		Not limited	
ChC2: Chillum-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
ChC3: Chillum-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
CrB2: Croom-----	100	Not limited		Not limited		Not limited	
CrC2: Croom-----	100	Not limited		Not limited		Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrD2: Croom-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
CrD3: Croom-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
EvB: Evesboro-----	100	Not limited		Not limited		Not limited	
EvC: Evesboro-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
EwC2: Evesboro-----	60	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Westphalia-----	40	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
EwD2: Evesboro-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Westphalia-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
EwE2: Evesboro-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Westphalia-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
FaB: Faceville-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fs: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Gp: Gravel Pits-----	100	Not rated		Not rated		Not rated	
KeC2: Kempsville-----	100	Not limited		Not limited		Very limited Slope	1.00
KeC3: Kempsville-----	100	Not limited		Not limited		Very limited Slope	1.00
KeD2: Kempsville-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
KeD3: Kempsville-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
KpA: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KpB2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KrA: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KrB2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
KrC2: Keyport-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kz: Klej-----	95	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.98
Le: Leonardtown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MaB2: Marr-----	100	Not limited		Not limited		Not limited	
MaC2: Marr-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
MaC3: Marr-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
MmA: Matapeake-----	100	Not limited		Not limited		Not limited	
MmB2: Matapeake-----	100	Not limited		Not limited		Not limited	
MnA: Matapeake-----	100	Not limited		Not limited		Not limited	
MnB2: Matapeake-----	100	Not limited		Not limited		Not limited	
MnC3: Matapeake-----	100	Not limited		Not limited		Very limited Slope	1.00
MtA: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MtB2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MuA: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MuB2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuC2: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Very limited Slope  Depth to saturated zone	1.00  0.07
On: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ot: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
RuB: Rumford-----	100	Not limited		Not limited		Not limited	
RuC2: Rumford-----	100	Not limited		Not limited		Very limited Slope	1.00
SaA: Sassafras-----	100	Not limited		Not limited		Not limited	
SaB2: Sassafras-----	100	Not limited		Not limited		Not limited	
SaC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SaC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SaD2: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SaD3: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SfA: Sassafras-----	100	Not limited		Not limited		Not limited	
SfB2: Sassafras-----	100	Not limited		Not limited		Not limited	
SmC2: Sassafras-----	65	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Chillum-----	35	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SmC3: Sassafras-----	65	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Chillum-----	35	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WeB2: Westphalia-----	100	Not limited		Not limited		Not limited	
WeC2: Westphalia-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
WeC3: Westphalia-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
WsA: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WsB: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WsC2: Woodstown-----	100	Not limited		Very limited Depth to saturated zone	1.00	Very limited Slope	1.00

